



Safety data-sheet (91/155 EEC)
Printed 02.01.2006
Revision 23.12.2005 (GB) Version 2.6
ADDI-PROX® SC/F
42 310.00

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Name of product	ADDI-PROX® SC/F Prod-Nr. 42 310.00 Q-Nr. Q 802/0402 Jo/sh
Manufacturer/distributor	Oemeta Chemische Werke GmbH Ossenpadd 54, D-25536 Uetersen Phone ++49 (0)4122/924-0, Fax ++49 (0)4122/924-157 E-Mail oemeta@oemeta.com Internet www.oemeta.com
Advice	Stefan Joksch Phone ++49 (0)4122/924-124 Fax ++49 (0)4122/924-157
Emergency advice	Chemtrec Phone 800 / 424-9300
Recommended intended purpose(s)	System cleaner for water-mixed cutting fluid
Effect of the substance / the formulation	Application range: industry / craft. For special application notes see technical data sheet.

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization

Preparation, contains biocides, surfactants, alkanolamines, alkalies

Additional advice

Composition: 19 % alkanolamines, 4 % alkalies, 7 % surfactants, 8 % biocides, 62 % water
See section 8 and 15 for further information concerning hazardous substances.

! 3. HAZARDS IDENTIFICATION

! Special hazards information for humans and environment

Because of the high pH-value (>11.5) this product is classified as corrosive.
Causes burns.

4. FIRST AID MEASURES

General information

Remove contaminated soaked clothing.

In case of inhalation

In the event of symptoms refer for medical treatment.

In case of skin contact

In case of contact with skin wash off with soap and water.

In case of eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

In case of ingestion

Refer to medical treatment.

Rinse out mouth and give plenty of water to drink.



Safety data-sheet (91/155 EEC)
Printed 02.01.2006
Revision 23.12.2005 (GB) Version 2.6
ADDI-PROX® SC/F
42 310.00

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Foam
Dry powder
Carbon dioxide
Water spray jet

Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases

Nitrogen oxides (NO_x)
Carbon monoxide (CO)

Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.

Additional information

Collect contaminated firefighting water separately, must not be discharged into the drains.
UEL / LEL and flashpoint see section 9.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

High risk of slipping due to leakage/spillage of product.

Environmental precautions

Do not discharge into the drains/surface waters/groundwater.
Do not discharge into the subsoil/soil.

Methods for cleaning up

Take up with absorbent material (e.g. oil binder).

Additional Information

Informations for disposal see chapter 13.

7. HANDLING AND STORAGE

Requirements for storage rooms and vessels

Do not use containers, leads, pipes a.s.o. of copper or copper-containing alloys.
Do not use zinc containers.

Further information on storage conditions

Keep container tightly closed.
Store in a cool, well ventilated area, away from extreme heat or open flame.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection

Pay attention for good general ventilation.

Hand protection

At full-contact with the concentrate we recommend to use gloves.

Eye protection

Safety glasses

General protective measures

Avoid contact with eyes and skin

Hygiene measures

Do not eat or drink when working.
Clean skin thoroughly after working.
Cloths contaminated with product should not be kept in trouser pockets.
Keep away from food and drink.



9. PHYSICAL AND CHEMICAL PROPERTIES

Form liquid	Colour light yellow	Odour characteristic
-----------------------	-------------------------------	--------------------------------

Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value in delivery state	> 11,5	20 °C		ASTM D 1287	68 °F
cloud / clear point	< 0 °C			ASTM D 5773	<32 °F
Flash point	not applicable				product contains water
Combustion temperature	not applicable				product contains water
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Density	1,06 - 1,09 g/ cm ³	20 °C		ASTM D 1298	68 °F
Solubility in water					very good soluble
Viscosity 1 kinematic	3 - 7 mm ² /s	20 °C		ASTM D 445	68 °F

10. STABILITY AND REACTIVITY

Conditions to avoid

Avoid heating of concentrate > 100 °C.

Materials to avoid

Reactions with acids and strong oxidising agents.

Hazardous decomposition products

Formaldehyde

11. TOXICOLOGICAL INFORMATION

Acute toxicity/Irritability/Sensitization

	Value/Validation	Species	Method	Remark
Irritability eye	irritant			

12. ECOLOGICAL INFORMATION

Data on elimination (persistence and degradability)

Elimination rate	Method of analysis	Method	Validation
------------------	--------------------	--------	------------



Safety data-sheet (91/155 EEC)
Printed 02.01.2006
Revision 23.12.2005 (GB) Version 2.6
ADDI-PROX® SC/F
42 310.00

Elimination rate	Method of analysis	Method	Validation
Biological degradability			Moderately/partially biodegradable
The biodegradability of this product has not been tested, the classifying is related to the biodegradability of the single raw materials.			
General regulation			
Do not discharge product unmonitored into the environment.			

13. DISPOSAL CONSIDERATIONS

Recommendations for packaging

Waste disposal method must comply with local, state and federal regulations.

Recommended cleansing agent

Water

14. TRANSPORT INFORMATION

Land and inland navigation transport ADR/RID

UN 1814 POTASSIUM HYDROXIDE, SOLUTION, 8, III

Marine transport IMDG

UN 1814 POTASSIUM HYDROXIDE, SOLUTION, 8, III

Air transport ICAO/IATA-DGR

UN 1814 POTASSIUM HYDROXIDE, SOLUTION, 8, III

15. REGULATORY INFORMATION

Remarks for classification

The product does not contain any substances subject to EPCRA 302 and 313 and CERCLA.

All constituents of the product are listed in the TSCA and DSL inventory.

WHMIS Classification: E

VOC standard

VOC content 2 %

16. OTHER INFORMATION

Training advice

For further information how to use this product please apply to: Oemeta Chemische Werke GmbH/Germany, phone Mr. Joksch +49 4122/924-124.

Further information

For further information please apply the Technical Department ++49 4122/924-132.

! An exclamation mark before the relevant section number indicates that the safety data sheet has been revised.

TSCA = Toxic Substance Control Act

CERCLA = Comprehensive Environmental Response Compensation and Liability Act

DSL = Domestic Substances List

EPCRA = Emergency Planning and Community Right to Know Act

All declarations of safety-data-sheet refer to pure substance.

Sources of key data used

Oemeta Technical Department